GTD GT25 GEOTHERMAL & WATER WELL DRILL RIG





GTD GT25 DRILL RIG

The GT series are proven for their high productivity in Geothermal and Waterwell drilling in both domestic and commercial use.

The GT25 model can drill beyond 650 feet (200m) using mud, air, and hammer drilling methods.

Arguably the rig's most defining feature is the rod rack and loading system, it's the most robust, reliable, and safe rod handling system on the market.

SPECIFICATION

DIMENSIONS & WEIGHT

- Length 32ft 4" (9.9m)
- Width 7ft 4" (2.3m)
- Height 9ft 9" (3m)
- Weight 32,000 lbs (14.5 ton) without rods

DRILL PIPE & CASING

- ▶ 3½" (88.9mm) x 15ft (4.5m)
- ▶ 40 rod capacity 600ft (180m)
- ▶ Max diameter 12½" (320mm)

ENGINE

- Doosan DLO6 Tier 4
- 🕨 190 HP
- Typical engine speed 1600rpm

GT Series rigs are known for their record-breaking productivity because they come with huge specifications as standard.

ROTARY DRILL HEAD

- Variable 2-speed/torque with 2.4" (60mm) thru-hole
- O-100rpm @ 6195 lb-ft (@1600 engine rpm)
- O-200rpm @ 3097 lb-ft (@1600 engine rpm)

DERRICK & FEED SYSTEM

- 18ft (5.5m) top head stroke
- > 24,250 lbs (11 ton) pull-back
- 13,200 lbs (6 ton) push-down

CRAWLER (TRACK) BASE

- Doosan Solar 55
- Steel with rubber pads
- Wireless remote travel

GTD STANDARD FEATURES

- Sliding Drill Head
- Swivel & Floating Spindle Sub
- Height adjustable working table +6ft / -3ft (+2m / -1m)
- Double Clamps One rotating
- Choice of Hydraulic Centralizing Rollers or Hydraulic Sliding Rod Wrench
- Hydraulic Breakout Chain Wrench
- Auxiliary Hydraulic Ports and Controls
- Main Winch (65ft /11,000 lbs x ½")
- Water Injection Mist Pump
 30 gpm @ 500 psi (114lpm @ 35bar)
- DTH Lube Pump
- Rod Rack & Rod Loader

"THE RIG HAS SLASHED OUR FUEL COSTS & MASSIVELY INCREASED PRODUCTIVITY!"

QC GEOTHERMAL, (USA)

"IT'S A **MEGA RIG** – IT DOES EXACTLY WHAT IT SAYS ON THE TIN" ACE DRILLING SERVICES (UK)

"GTD EQUIPMENT HAVE ENABLED US TO SET NEW STANDARDS IN PRODUCTIVITY NEVER ACHIEVABLE BEFORE!" GEOTECH BV (HOLLAND)

"THE RIG MAKES LIGHT WORK OF THE CHANGING & CHALLENGING GEOLOGY" SYNERGIE FORAGE (FRANCE)

OPTIONS (AT ADDITIONAL COST)


Mud Pump Options:

- 2 x Caprari Centrifugal Pumps: Single-stage - 220psi (15bar)
- Caprari Centrifugal Pumps:
 1 x Multi-stage 305psi (21bar)
 1 x Single-stage 220psi (15bar)
- 1x Heavy duty Centrifugal Pump: 4x3x13 with chromoly internals
- Triplex Piston Pump:
 211gpm @ 580psi (800lpm @ 40bar)
- Custom Color
- Safety Cage
- □ Rods 3½" (88.9mm) OD x 15ft (4.5m)

WWW.GTD-DRILLING.COM




GTD GT25 DRILL RIG



CASING EXTRACTOR







WWW.GTD-DRILLING.COM



GTD GT25 DRILL RIG

ADJUSTABLE HIGH / LOW ROTATION & TORQUE
















WWW.GTD-DRILLING.COM

☆ SCAN TO WATCH AN INTERNATIONAL GTD CUSTOMER BREAKING RECORDS IN HOLLAND

GTD GT25 DRILL RIG



GET IN TOUCH AT INFO@GTD-DRILLING.COM 100